

Notice of Allowability	Application No.	Applicant(s)	
	09/815,535	CHAI ET AL.	
	Examiner	Art Unit	
	Christopher P Grey	2667	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the amendment filed on 2/17/05.
2. The allowed claim(s) is/are 1-8.
3. The drawings filed on 21 March 2001 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:

CM. Certified copies of the priority documents have been received.

 2. Certified copies of the priority documents have been received in Application No. 09/815,535
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Response to Arguments

1. In giving a reason for allowance, an examiner cites the limitation within the independent claim that makes the claim allowable. As, claims 2-8 are dependent on claim 1; there is no need to address each and every claim as suggested by the arguments.

Allowable Subject Matter

2. Claims 1-8 are allowed.

3. The following is an examiner's statement of reasons for allowance:

The invention relates to a method for increasing the data transmission speed by converting the maximum quantity of data into an inter system link protocol and transmitting the inter system link protocol frame of maximum size to a base station controller as much as possible.

It is noted that the closest prior art of record, Rathonyi et al (US 6, 359, 877), discloses a communication system comprising an MSC (mobile switching center) and BSC (base station controller), a method and apparatus designed to minimize overhead by adapting the packet size on transmission based on the transmission rate and/or the throughput. However, Rathonyi fails to disclose or render obvious the underlined limitations as claimed and disclosed below:

Art Unit: 2667

The invention is allowable over the prior art of record since the cited references taken individually or in combination fails to particularly disclose “counting the total number of bytes included in a frame relay, and determining if the bytes counted are larger than the bytes necessary to generate an inter system link protocol frame of maximum size”. Furthermore, the prior art of record fails to show or suggest “generating and transmitting the inter system link protocol frame of maximum size to a BSC, and determining if the remaining bytes included in the frame relay are larger than that which is required to generate an inter system link protocol frame of maximum size”.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Art Unit: 2667

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher P Grey whose telephone number is (571)272-3160. The examiner can normally be reached on 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on (571)272-3179. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher Grey
Examiner
Art Unit 2667

C. Grey
4/26/05


CHI PHAM
SUPERVISORY PATENT EXAMINEE
TECHNOLOGY CENTER 2600
